

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

**EP 0 563 697 B1**

(12)

**EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention  
of the grant of the patent:  
**04.07.2001 Bulletin 2001/27**

(51) Int Cl.7: **A61K 31/70, A61K 9/48**

(21) Application number: **93104505.8**

(22) Date of filing: **19.03.1993**

**(54) Cytarabine ocfosfate hard capsule**

Cytarabine Ocfofosfate enthaltende harte Kapsel

Capsule solide d'ocfosfate de cytarabine

(84) Designated Contracting States:  
**DE ES FR GB IT NL SE**

(30) Priority: **03.04.1992 JP 10905392**

(43) Date of publication of application:  
**06.10.1993 Bulletin 1993/40**

(73) Proprietor: **NIPPON KAYAKU KABUSHIKI KAISHA**  
**Tokyo 102-0071 (JP)**

(72) Inventors:

- **Aoki, Minoru**  
**Kita-ku, Tokyo (JP)**
- **Ohtaki, Hiroshi**  
**Yono-shi, Saitama-ken (JP)**
- **Nakada, Minoru**  
**Kitamoto-shi, Saitama-ken (JP)**
- **Fukui, Nobuharu**  
**Suginami-ku, Tokyo (JP)**
- **Terada, Takashi**  
**Kounosu-shi, Saitama-ken (JP)**

(74) Representative:

**Gille Hrabal Struck Neidlein Prop Roos**  
**Patentanwälte**  
**Brucknerstrasse 20**  
**40593 Düsseldorf (DE)**

(56) References cited:

**EP-A- 0 239 015 WO-A-87/05804**  
**DE-A- 2 924 691 US-A- 3 859 431**  
**US-A- 4 681 765**

- **CHEMICAL ABSTRACTS, vol. 109, no. 12, 19**  
**September 1988, Columbus, Ohio, US; abstract**  
**no. 98727j, JOHN E. BOTZOLAKIS ET AL**  
**'Disintegrating agents in hard gelatin capsules.**  
**Part II: Swelling efficiency'**
- **CHEMICAL ABSTRACTS, vol. 103, no. 8, 26**  
**August 1985, Columbus, Ohio, US; abstract no.**  
**59243e, P. DE BEUKELAER ET AL 'The influence**  
**of the swelling characteristics of starch and**  
**starch derivatives on the disintegration of**  
**powders, packed in hard gelatin capsules'**

Remarks:

The file contains technical information submitted  
after the application was filed and not included in this  
specification

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

**Description****FIELD OF THE INVENTION**

- 5 **[0001]** The present invention relates to hard capsules of cytarabine ocfosfate (4-amino-1-β-D-arabinofuranosyl-2 (1H)-pyrimidinone-5'-(sodium octadecyl phosphate)) which is useful as an oral anti-leukemia agent.

**BACKGROUND OF THE INVENTION**

- 10 **[0002]** Cytarabine ocfosfate (hereafter referred to as COP) is known in U.S. Patent Nos. 4,812,560 and 5,049,663, etc. Capsules of arabinofuranosylcytosine-5'-phosphate (Ara-CMP) are described in U.S. Patent No. 4,542,021. In the pharmaceutical preparations, potato starch and lactose are added to prepare the capsules.

- [0003]** Where it is attempted to prepare COP into oral preparations such as capsules, etc. by adding starch and lactose thereto as in a conventional manner, the starch and lactose should be added to COP in considerably large amounts; where one needs to take COP in a dose necessary for treatment, the size of preparations so increases due to poor dispersibility that one can orally take the COP preparations only with difficulty. Further in order to disintegrate capsules satisfactorily, starch and lactose must be added in large quantities so that stability of COP is deteriorated and its decomposition products are formed; in this case, problems of decreased content of COP, etc. encounter. In addition, COP has a property that is extremely sparingly soluble in an acidic solution having pH below 4. A mere tableting by compressing COP or encapsulation of COP results in a disadvantage that disintegration in an acidic solution is extremely retarded. Taking the physiological pH in the stomach into account, it is desired to provide pharmaceutical preparations capable of being readily disintegrated even in an acidic region.

- 20 **[0004]** An object of the present invention is to provide hard capsules which are excellent in stability of COP and do not impair their disintegrating property even in an acidic solution.

25

**SUMMARY OF THE INVENTION**

- [0005]** The present inventors have made extensive investigations to see if good disintegration property and stability of COP are both obtained by adding various additives to COP. As a result, it has been found that when a high molecular compound which acts as a disintegrator, especially a high molecular compound selected from low substituted hydroxypropyl cellulose, sodium carboxymethyl starch, partly pregelatinized starch and crosslinked polyvinylpyrrolidone is added to COP, hard capsules having excellent disintegration property which provide good stability of COP can be obtained. It has also been found that addition of an alkali further improves the stability. The present invention has thus been accomplished.

- 35 **[0006]** That is, the present invention relates to a cytarabine ocfosfate hard capsule comprising (1) cytarabine ocfosfate, (2) a high molecular compound which acts as a disintegrator and (3) an alkali.

**DETAILED DESCRIPTION OF THE INVENTION**

- 40 **[0007]** The present invention will be described in more detail. As the high molecular compound which acts as a disintegrator in the present invention, any high molecular compound may be used so long as it acts as a disintegrator and pharmaceutically acceptable. As such a high molecular compound there are a chemically modified starch, a cellulose derivative, a polyvinylpyrrolidone derivative, etc. Specific examples include low substituted hydroxypropyl cellulose, sodium carboxymethyl starch, partly pregelatinized starch, crosslinked polyvinylpyrrolidone, crosslinked sodium carboxymethyl cellulose, hydroxypropyl starch, etc. Among these high molecular compounds, preferred are low substituted hydroxypropyl cellulose, sodium carboxymethyl starch, partly pregelatinized starch and crosslinked polyvinylpyrrolidone. Further, more preferred are low substituted hydroxypropyl cellulose, sodium carboxymethyl starch and partly pregelatinized starch.

- [0008]** The low substituted hydroxypropyl cellulose exemplified as the high molecular compound used in the present invention is a cellulose which is substituted with hydroxypropyl in a low substitution degree, and may be the one as described in Japanese Pharmacopeia (1986) that has a propylation rate of the hydroxy group in the range of 7 to 16%. The sodium carboxymethyl starch is a water-soluble starch type high molecular compound which may be the one described in Standards for Ingredients of Drugs not in the Japanese Pharmacopeia (1986) and preferably has the carboxymethyl substitution degree of approximately 0.3 to 0.5.

- 55 **[0009]** The partly pregelatinized starch is starch which is converted into alpha-form and described in Standards for Ingredients of Drugs not in the Japanese Pharmacopeia (1986).

- [0010]** The crosslinked polyvinylpyrrolidone refers to a crosslinked non-water-soluble high molecular compound of vinylpyrrolidone and is commercially available under the name of, e.g., Kollidon CL (BASF).

**[0011]** The crosslinked sodium carboxymethyl cellulose refers to sodium carboxymethyl cellulose which is in part self-crosslinked and is exemplified by croscarmellose sodium, for example.

**[0012]** The hydroxypropyl starch refers to hydroxypropyl ether of starch and is specifically exemplified by the one described in Standards for Ingredients of Drug not in the Japanese Pharmacopeia (1986).

**[0013]** These high molecular compounds which function as disintegrators are added to COP generally in the amount of approximately 0.5 to 4 parts by weight, preferably 1 to 3.5 parts by weight, more preferably 1.3 to 3.0 parts by weight, based on 1 part by weight of COP. The disintegrator may be used singly or in combination of two or more.

**[0014]** Turning to the alkali used in the present invention, there is no particular restriction to the alkali but any alkali may be used so long as it is usable as an additive for medical use. Specific examples of the alkali include sodium carbonate, potassium carbonate, sodium bicarbonate, sodium hydroxide, potassium hydroxide, etc. These alkalis may be used alone or in combination of two or more. It is generally preferred to use sodium carbonate or potassium carbonate. The alkali is added to COP generally in the amount of approximately 0.002 to 0.3 part by weight, preferably 0.005 to 0.2 part by weight, more preferably 0.007 to 0.07 part by weight, based on 1 part by weight of COP.

**[0015]** The components are packed in the hard capsule of the present invention in the following proportions: approximately 5 to 50 W/W %, preferably 10 to 47 W/W %, more preferably 20 to 40 W/W % of COP; 10 to 80 W/W %, preferably 15 to 75 W/W %, more preferably 30 to 70 W/W % of the high molecular compound acting as a disintegrator; and 0.1 to 8.0 W/W %, preferably 0.2 to 4.0 W/W % of the alkali. The balance is other additives and these additives are incorporated in the amount of approximately 0 to 84 W/W %, preferably 1 to 74 W/W %.

**[0016]** In order to obtain the hard capsule of the present invention, other suitable additives, for example, excipients, binders and lubricants may also be packed in the hard capsule. Examples of the excipient include starch such as corn starch, potato starch, wheat flour, etc., and sugars such as lactose, mannitol, glucose, etc. The excipient may be added to COP in the amount of approximately 0.5 to 7 parts by weight, preferably 1 to 5 parts by weight, based on 1 part by weight of COP.

**[0017]** Examples of the binder include water-soluble cellulose ester derivatives such as hydroxypropyl cellulose, methyl cellulose, etc. and polyvinylpyrrolidone, sodium alginate, starch glue, aminoalkyl methacrylate copolymer (Eudragit), gum arabic, etc. The binder may be added to COP in the amount of approximately 0.005 to 0.2 part by weight, preferably 0.01 to 0.1 part by weight, based on 1 part by weight of COP.

**[0018]** As the lubricant there are used stearic acid and stearates such as magnesium stearate, etc., talc, leucine, carnauba wax, cacao butter, polyethylene glycol, cetanol, paraffin, etc. The lubricant may be added to COP in the amount of approximately 0.005 to 0.10 part by weight, preferably 0.009 to 0.05 part by weight, based on 1 part by weight of COP.

**[0019]** COP used for the preparation of the hard capsule of the present invention is a non-hygroscopic and stable crystal disclosed in U.S. Patent Nos. 4,812,560 and 5,049,663. For packing the respective components into capsules, the components are generally granulated by wet granulation or dry granulation and then packed in capsules to obtain the hard capsules of the present invention.

**[0020]** The wet granulation is a method which comprises uniformly blending COP and the additives, kneading the blend in a suitable solvent, granulating, drying and grinding the granules, etc., if necessary, to a suitable diameter, generally below 8 mesh, preferably below 20 mesh. As the solvent, there may be used, for example, ethanol, methanol, acetone, ethyl acetate, dichloroethane, cyclohexane, etc. In view of the residual solvent, ethanol is desirable and hydrated ethanol is more desirable, taking safety in handling into consideration.

**[0021]** The dry granulation refers to a method which comprises uniformly blending COP and the additives, compressing and molding the blend into a flake-like or pellet-like shape, and grinding the compressed mold granules, etc. to a suitable diameter, generally below 8 mesh, preferably below 20 mesh.

**[0022]** Hereafter the present invention will be specifically described by referring to the examples below.

#### Example 1

**[0023]** After 25 parts of COP, 35 parts of low substituted hydroxypropyl cellulose (Shin-Etsu Kagaku: L-HPC), 55 parts of mannitol, 68 parts of potato starch, 2 parts of hydroxypropyl cellulose and 4 parts of sodium carbonate are blended, the blend is kneaded with 60% ethanol and granulated. The granules are dried at 50°C. After drying, the granules are ground into those below 20 mesh followed by incorporating 1 part of magnesium stearate. Thereafter 190 mg of the mixture is packed in a hard capsule of No. 3 to obtain the hard capsule of the present invention.

#### Example 2

**[0024]** After 50 parts of COP, 80 parts of low substituted hydroxypropyl cellulose (Shin-Etsu Kagaku: L-HPC), 55 parts of mannitol, 2 parts of methyl cellulose and 2 parts of sodium carbonate are blended, the blend is kneaded with 70% ethanol and granulated. The granules are dried at 60°C. After drying, the granules are ground into those below

16 mesh followed by incorporating 1 part of magnesium stearate. Thereafter 190 mg of the mixture is packed in a hard capsule of No. 3 to obtain the hard capsule of the present invention.

#### Example 3

[0025] After 50 parts of COP, 150 parts of partly pregelatinized starch (Asahi Chemical: PCS), 4 parts of polyvinylpyrrolidone and 2 parts of sodium carbonate are blended, the blend is compact-molded into a flake-like shape using a dry granulator (Turbo Industry: Roller Compacter) followed by grinding into granules below 20 mesh. Further 1 part of stearic acid is added to the granules, 207 mg of the mixture is packed in a hard capsule of No. 3 to obtain the hard capsule of the present invention.

#### Example 4

[0026] After 100 parts of COP, 220 parts of crosslinked polyvinylpyrrolidone (BASF: Kollidon CL) and 3 parts of sodium carbonate are blended, the blend is compact-molded into a flake-like shape using a dry granulator (Turbo Industry: Roller Compacter) followed by grinding into granules below 20 mesh. Further 2 parts of talc is added to the granules, 325 mg of the mixture is packed in a hard capsule of No. 1 to obtain the hard capsule of the present invention.

#### Example 5

[0027] After 100 parts of COP, 165 parts of low substituted hydroxypropyl cellulose (Shin-Etsu Kagaku: L-HPC), 1 part of sodium carbonate and 3 parts of hydroxypropyl cellulose are blended, the blend is kneaded with 70% ethanol and granulated. The granules are dried at 60°C. After drying, the granules are ground into those below 16 mesh followed by incorporating 1 part of magnesium stearate. Thereafter 270 mg of the mixture is packed in a hard capsule of No. 2 to obtain the hard capsule of the present invention.

#### Example 6

[0028] After 25 parts of COP, 35 parts of sodium carboxymethyl starch, 55 parts of mannitol, 68 parts of potato starch, 2 parts of hydroxypropyl cellulose and 4 parts of sodium carbonate are blended, the blend is kneaded with 60% ethanol and granulated. The granules are dried at 50°C. After drying, the granules are ground into those below 20 mesh followed by incorporating 1 part of magnesium stearate. Thereafter 190 mg of the mixture is packed in a hard capsule of No. 3 to obtain the hard capsule of the present invention.

[0029] Next, the disintegration property and stability of the hard capsule according to the present invention were examined.

#### Experiment 1: Test on Disintegration

[0030] A time period for disintegration of 6 hard capsules of the present invention for each group was examined by a modified method of the disintegration test described in Japanese Pharmacopeia (1986), using a device for disintegration test. First fluid (prepared by adding 24.0 ml of diluted hydrochloric acid and water to 2.0 g of sodium chloride to dissolve sodium chloride and adding water to make the volume 1000 ml; pH is about 1.2) was used as a test solution and measurement was performed at 37°C of the solution temperature. The results are shown in Table 1.

Table 1

Sample	Time Require for Disintegration (average)
Hard capsule of Example 1	3 minutes and 50 seconds to 6 minutes and 40 seconds (5 minutes and 13 seconds)
Hard capsule of Example 2	4 minutes and 20 seconds to 6 minutes and 40 seconds (5 minutes and 22 seconds)
Hard capsule of Example 3	3 minutes and 18 seconds to 3 minutes and 45 seconds (3 minutes and 25 seconds)
Hard capsule of Example 4	3 minutes and 35 seconds to 4 minutes and 20 seconds (3 minutes and 53 seconds)
Hard capsule of Example 5	5 minutes and 00 seconds to 8 minutes and 00 seconds (6 minutes and 15 seconds)
Hard capsule of Example 6	3 minutes and 05 seconds to 3 minutes and 57 seconds (3 minutes and 29 seconds)

[0031] The hard capsules of the present invention all shows excellent disintegration property, indicating that the time

for disintegration was within 10 minutes. The results show that the pharmaceutical preparations having good disintegration property even at the physiological pH in the stomach, i.e., even in an acidic region can be obtained.

#### Experiment 2: Test on stability

**[0032]** With respect to stability of the hard capsule according to the present invention, the following tests were carried out under severe conditions and under storage for a long period of time.

##### 1. Severe conditions

**[0033]** The hard capsules of the present invention and a capsule for control were stored for 30 days under severe conditions at 65°C under relative humidity of 73%. Then the content of cytarabine ocfosfate was assayed. The content was determined based on an area percentage of cytarabine ocfosfate and its decomposition products by liquid chromatography. The results are shown in Table 2.

Table 2

Sample	Content (%)
Hard capsule of Example 1	100.0
Hard capsule of Example 2	100.0
Hard capsule of Example 3	100.0
Hard capsule of Example 5	100.0
Hard capsule of Example 6	100.0
Hard capsule for comparison*	87.5

\* Composition of the hard capsule for comparison:

After 10 parts of COP, 50 parts of crystalline cellulose, 3 parts of magnesium stearate, 100 parts of lactose and 100 parts of potato starch are blended, 263 mg each of the blend is packed in capsules to prepare capsules.

The content of COP in the hard capsule according to the present invention showed 100%. On the other hand, that in the hard capsule for comparison decreased significantly to 87.5%.

##### 2. Storage over a long period of time

**[0034]** After the hard capsules of the present invention were stored at room temperature for 42 months, the content of COP was determined. No reduction in the content was noted in any of the hard capsules of the present invention.

**[0035]** As is clearly noted from the foregoing results, the hard capsules of the present invention provide pharmaceutical preparations having excellent disintegration property and stability, by incorporating the high molecular compound functioning as a disintegrator and the alkali. In addition, a high dose of COP per preparation can be provided according to the present invention. The high dose COP preparation is useful for clinical application.

#### Claims

1. A cytarabine ocfosfate hard capsule comprising (1) cytarabine ocfosfate, (2) a high molecular compound functioning as a disintegrator and (3) an alkali.
2. A hard capsule according to claim 1, wherein said high molecular compound functioning as a disintegrator is selected from the group consisting of a low substituted hydroxypropyl cellulose, sodium carboxymethyl starch, partly pregelatinized starch and crosslinked polyvinylpyrrolidone.
3. A hard capsule according to claim 1, wherein said high molecular compound functioning as a disintegrator is selected from the group consisting of a low substituted hydroxypropyl cellulose, sodium carboxymethyl starch and partly pregelatinized starch.
4. A hard capsule according to claim 1, wherein said high molecular compound functioning as a disintegrator is incorporated in an amount of 0.5 to 4 parts by weight based on 1 part by weight of cytarabine ocfosfate.

5. A hard capsule according to claim 1, wherein said alkali is incorporated in an amount of 0.002 to 0.3 part by weight based on 1 part by weight of cytarabine ocfosfate.
6. A hard capsule according to claim 1, wherein said high molecular compound functioning as a disintegrator is incorporated in an amount of 10 to 80 W/W % based on the weight of the composition.
7. A hard capsule according to any one of claims 1, 2 and 3, wherein a proportion of each component is in the range of (1) 5 to 50 W/W % in cytarabine ocfosfate, (2) 10 to 80 W/W % in the high molecular compound functioning as a disintegrator, and (3) 0.1 to 8.0 W/W % in the alkali.
8. A hard capsule comprising (1) 5 to 50 W/W % of cytarabine ocfosfate, (2) 10 to 80 W/W % of a low substituted hydroxypropyl cellulose, and (3) 0.1 to 8.0 W/W % of sodium carbonate in terms of a proportion based on the weight of the composition.

#### Patentansprüche

1. Cytarabine ocfosfate enthaltende Hartkapsel, umfassend (1) Cytarabine ocfosfate, (2) eine hochmolekulare Verbindung, die als Desintegrator wirkt, und (3) ein Alkali.
2. Hartkapsel nach Anspruch 1, wobei die hochmolekulare Verbindung, die als Desintegrator wirkt, aus der Gruppe ausgewählt ist, die aus einer niedrignsubstituierter Hydroxypropylcellulose, Natriumcarboxymethylstärke, teilquellbarer Stärke und vernetztem Polyvinylpyrrolidon besteht.
3. Hartkapsel nach Anspruch 1, wobei die hochmolekulare Verbindung, die als Desintegrator wirkt, aus der Gruppe ausgewählt ist, die aus einer niedrignsubstituierter Hydroxypropylcellulose, Natriumcarboxymethylstärke und teilquellbarer Stärke besteht.
4. Hartkapsel nach Anspruch 1, wobei die hochmolekulare Verbindung, die als Desintegrator wirkt, in einer Menge von 0,5 bis 4 Gewichtsteilen bezogen auf 1 Gewichtsteil Cytarabine ocfosfate eingelagert ist.
5. Hartkapsel nach Anspruch 1, wobei das Alkali in einer Menge von 0,002 bis 0,3 Gewichtsteilen bezogen auf 1 Gewichtsteil Cytarabine ocfosfate eingelagert ist.
6. Hartkapsel nach Anspruch 1, wobei die hochmolekulare Verbindung, die als Desintegrator wirkt, in einer Menge von 10 bis 80 % (Gew./Gew.) bezogen auf das Gewicht der Zusammensetzung eingelagert ist.
7. Hartkapsel nach einem der Ansprüche 1, 2 oder 3, wobei die Anteile der Komponenten in dem Bereich von (1) 5 bis 50 % (Gew./Gew.) für Cytarabine ocfosfate, (2) 10 bis 80 % (Gew./Gew.) für die hochmolekulare Verbindung, die als Desintegrator wirkt, und (3) 0,1 bis 8,0 % (Gew./Gew.) für das Alkali liegen.
8. Hartkapsel, umfassend (1) 5 bis 50 % (Gew./Gew.) Cytarabine ocfosfate, (2) 10 bis 80 % (Gew./Gew.) niedrignsubstituierte Hydroxypropylcellulose und (3) 0,1 bis 8,0 (Gew./Gew.) Natriumcarbonat, wobei die Anteile auf das Gewicht der Zusammensetzung bezogen sind.

#### Revendications

1. Capsule solide d'ocfosfate de cytarabine comprenant (1) de l'ocfosfate de cytarabine , (2) un composé de masse moléculaire élevée agissant comme désagrégeant et (3) un alcali.
2. Capsule solide selon la revendication 1, dans laquelle ledit composé de masse moléculaire élevée agissant comme désagrégeant est sélectionné parmi le groupe composé d'une hydroxypropylcellulose légèrement substituée, du carboxyméthyle sodique d'amidon, de l'amidon partiellement pré-gélatinisé et de la polyvinylpyrrolidone réticulée.
3. Capsule solide selon la revendication 1, dans laquelle ledit composé de masse moléculaire élevée agissant comme désagrégeant est sélectionné parmi le groupe composé d'une hydroxypropylcellulose légèrement substituée, du carboxyméthyle sodique d'amidon et de l'amidon partiellement pré-gélatinisé.

## EP 0 563 697 B1

4. Capsule solide selon la revendication 1, dans laquelle ledit composé de masse moléculaire élevée agissant comme désagrégeant est incorporé en une quantité allant de 0,5 à 4 parties en poids par rapport à 1 partie en poids d'ocfosfate de cytarabine.
- 5 5. Capsule solide selon la revendication 1, dans laquelle ledit alcali est incorporé en une quantité allant de 0,002 à 0,3 partie en poids par rapport à 1 partie en poids d'ocfosfate de cytarabine.
6. Capsule solide selon la revendication 1, dans laquelle ledit composé de masse moléculaire élevée agissant comme désagrégeant est incorporé en une quantité allant de 10 à 80 % m/m par rapport au poids de la composition.
- 10 7. Capsule solide selon l'une quelconque des revendications 1, 2 et 3, dans laquelle la proportion de chaque composant est dans l'intervalle de (1) 5 à 50 % m/m d'ocfosfate de cytarabine, (2) 10 à 80 % m/m de composé de masse moléculaire élevée agissant comme désagrégeant, et (3) 0,1 à 8,0 % m/m d'alcali.
- 15 8. Capsule solide comprenant (1) 5 à 50 % m/m d'ocfosfate de cytarabine, (2) 10 à 80 % m/m d'hydroxypropylcellulose légèrement substituée, et (3) 0,1 à 8,0 % m/m de carbonate de sodium en proportion par rapport au poids de la composition.

20

25

30

35

40

45

50

55